



FLOOR
COVERING
ACCESSORIES



CATALOGUE

Number - W14

R. D. WERNER CO., INC.

CHICAGO
117 N. Wacker Drive

NEW YORK
21 East 30th Street

LOS ANGELES
2138 W. Washington Blvd.

REPRESENTATIVES IN ALL PRINCIPAL CITIES

SEP 94 8/18

IMPORTANT

TERMS:

2% 10 Days net 30: or Privilege to discount all invoices of any one month on the 10th of the following month. Redating, anticipating or other deviations not allowed. If not rated by the commercial agencies, we require references to establish credit. In lieu of this we will gladly ship C.O.D. or on receipt of check.

SHIPPING POINTS:

F.O.B., NEW YORK - CHICAGO - LOS ANGELES

GUARANTEE:

We emphatically stand back of all our merchandise.

ORDERING:

Please always give catalogue number, size, name, etc.

PRICES:

We solicit your inquiries on items that you are regularly using. Prices will be mailed upon application. Orders mailed in will be billed at prevailing market prices.

Prices subject to change without notice.

INDEX

A		I		R	
Anchors, Rug	22	Invisible Carpet Fasteners	13	Rawlplugs	11
Anchors, Screw Lead	11			Roller, Linoleum	28
Awls, Carpet	9			Rubber Mats and Matting	7-8
B		K		Rubber Ends	8
Beeswax	24	Kickers, Carpet	14-15	Rubber Nosings	7
Binding, Carpet	4	Knives, Linoleum	27	Rug, Non-Skid Lining	22
Rubber	8			Fringe	5-6
Brads, Linoleum	10			Fasteners	13
Braid, Lead Weight	24			Dye	20
C		L		Rods, Stair Metal	12
Casters	24-33	Linings	22-23		
Casters, Office Chairs	33	Liquid Rubber	21	S	
Carpet Binding	4	Linen Fringe	5	Sash Cord for Singer Track	
Casters	24	Thread	3	Machine	25
Clamps	16	Measuring Tapes	26	Scribers	29-31
Crabs	16	Linoleum, Brads	10	Screw Anchors	11
Hammers	16	Cement	28	Screws, Drive	10
Kickers	14-15	Knives	27	Snips	32
Lining	22-23	Pins	10	Serging Thread	3
Needles	19	Rollers	28-30-32	Sewing Windlass	17
Pins and Sockets	13	Felt Paper	28	Shears, Carpet	18
Pressers	30	Spreader	28	Sockets and Pins	13
Shears	18	Straight Edge	28-30	Spreader, Linoleum	28
Stretchers	14-15-17	Truck	34	Stair Corners	13
Thread	3	Scriber	29-31	Nosing, Rubber	8
Vise	17	Cutting Tool	35	Rod Fasteners	12
Chemo	21			Treads	8
Clamps, Carpet	16	M		Stretchers, Carpet	14-15-17
Concrete Pins	10	Mats	7		
Corners, Stair	13	Measuring Tapes	26	T	
Cotton Thread	3	Mitre Box	32	Tack Pullers	9
Corrugated Rubber Matting	8	Moth Preventative	21	Tacks	10
Crab, Carpet	16			Trowel	32
Cement (Rubber Back)	25	N		Tape, Measuring	26
Cement, Linoleum	28	Nails, Concrete	10	Thimbles	19
D		Carpet	10	Thread, Linen and Cot.	3
Drive Screws	10	Nosing	10	Truck, Linoleum	34
Dye	20	Rubber Matting	8	Tweezers	19
Drills (Rawl)	11	Nosing, Rubber Treads	8		
F		O		V	
Fasteners, Invisible	13	Overlock Thread	3	Vise, Carpet	17
Stair Rod	12				
Fringe, Rug: Cotton and Linen	5-6	P		W	
H		Paste Spreaders	28	Weight Braid	24
Hack Saw	32	Pins, Escutcheon	10	Webbing, Jute	24
Hammers, Carpet	16	Linoleum	10	Windlass	17
Holder, Seam	34	Pins and Sockets	13	Wertex	21
		Plugs, Wood	11	Wood Dowels	11
		Pole Stretchers	14		
		Presser, Carpet	30	Z	
				Zipper Tape	25

CARPET SEWING THREAD

For electric track and hand operated seam sewing machines, also hand sewing.

SPECIFY IMPERIAL LINEN FOR STRENGTH AND UNIFORMITY IN SEAM SEWING OF ALL KINDS

IMPERIAL LINEN



LINEN

SKEINS— No. 18 No. 25
Put up in 40 knots to the pound box
4 OZ. SPOOLS—2 lb. boxes.
Nos. 18 and 25—Five stock colors.
8 OZ. CONES—6 lb. boxes.
Nos. 18 and 25—Five stock colors.
2 OZ. SPOOLS—
No. 40—8 to the lb. box. Five stock colors.

We are direct importers of Imperial Irish Flax Linen Yarn and guarantee our thread for strength and uniformity.

TAFT COTTON



COTTON (Linen Finish)

4 OZ. SPOOLS—"TAFT"—2 lb. boxes.
Nos. 18 and 25—Five stock colors.
8 OZ. CONES—"CAIRO"—3 lb. boxes.
No. 18—Drab only.

Both Taft and Cairo quality cotton sewing thread is spun from imported long staple Egyptian Yarn. We recommend it for carpet sewing.

BARBOUR AND KNOX LINEN THREAD

Skeins No. 18

Spoils Nos. 18, 25 and 40

Cones No. 18 and No. 25


STOCK COLORS—GREEN - BROWN - DRAB - RED - BLACK

We also stock thread for binding Hair Linings, Raw Edges of carpets, etc.

SERGING THREAD

NUBIA

For Looper - 1 lb. cones



FOR THE OVERLOCK MACHINES
(No. 81-10 and No. 81-12)

Ask for color chart No. 16
for complete line of colors.

The Nubia serging thread is spun from special long staple cotton—made knotless. Stocked in 70 colors. Can practically match any carpet shade. Sudan Back Needle—Stocked in Green, Red, Olive, Drab, Brown and Black. Sudex quality for Columbian blind stitch machine for sewing carpet binding to underside of carpet.

SUDAN

For Back Needle - 1 lb. tubes



CARPET BINDING - THREAD - RUG FRINGE


1 1/4" O.C. Herringbone Weave—solid and two-tone colors—72 yds in a Piece—
Stocked in 70 colors.

1 1/4" B.W. Basket Weave—solid and two-tone colors—8-18 yd. Pcs. in a Gr. Pkg.—
Stocked in 75 colors.

1 1/2" Mitre Herringbone Weave—solid colors only—8-18 yd. Pcs. in a Gr. Pkg.—
Stocked in 18 colors.

2" Mitre Herringbone Weave—solid colors only—72 yds. in a Piece—
Stocked in 10 colors.

1 1/2" Double Lip Carpet Binding—solid colors only—36 yds. on a card—
Stocked in 18 colors.



We manufacture all the newest carpet colors. Send us sample of carpet and we will match it.

The 1 1/4" Herringbone and Basket Weave—made in solid colors and two tone effects.

We carry the largest assortment of colors and widths for immediate shipment from stock.

Ask for color booklet.


Simply designate weave and width.

Special colors dyed up on order.

We also manufacture on special order Woven Name Carpet Binding.
Send for samples.

KNOTTED RUG FRINGE

FOR DOMESTIC AND ORIENTAL RUGS - COTTON - LINEN - WOOL
KNOTTED—UNKNOTTED AND DOUBLE HEAD



SINGLE KNOTTED
LINEN (Flax)


12X—(Linen color) Medium Green.
12XT—Greyish Sand.
12Y—Dark Linen, Olive Drab
24Y—Dark Green.

COTTON (Glazed) LINEN FINISH

16Y—Olive Drab.
17Y—Dark Drab.

KNOTTED RUG FRINGE

These illustrations show only part of our line. Our sample booklet showing full line of fringes, now in popular demand will be mailed on request. We supply all kinds of fringes on special order. Our No. D. L. (double head) is stocked only in cotton—Single knotted—Olive Drab color.




DOUBLE KNOTTED
LINEN (Flax)

13X(Linen color) Medium Green.
13XT—Greyish Sand.
13Y—Dark Linen, Olive Drab.
23Y—Dark Green

COTTON (Glazed Linen Finish)

20Y—Olive Drab.
21Y—Dark Drab.




FLAT KNOTLESS RUG FRINGE


10C—Cotton—Olive Drab color.
10L—Linen—Olive Drab color.

Flat Knotless Rug Fringe made in both linen and cotton.

All fringe is put up
36 yds. to the card.



Our No. 22X (Cotton) is Tan shade having a Red and Blue yarn intermingled in its head. Popular for Domestic Orientals.
No. 22 is unknotted.



No. 56 (Cotton)—Single knotted Buillion—with Red and Blue intermingled head — Whitish - Grey color—for Domestic Orientals. A desirable fringe for fine woven rugs.

(Our No. 11 D.L. (double lip) is stocked only in cotton - single knotted - Olive Drab color)

UNKNOTTED RUG FRINGE




HEAVY WOOL YARN RUG TRIM

Stock Colors: White - Black - Green - Platinum - Grey - Henna - Brick - Dark Brown - Red - Medium Tan
This type of rug fringe was created for all better type of carpeting. As an effective trim smart decorators are specifying it for use on all four sides. White is the most popular and demanded shade.


Colors dyed to special order.

UNKNOTTED


All other colors dyed to special order.



No. 18X—Dark Tan—
For Domestic Orientals
No. 18XC—Dark Tan—
Plain Head



No. 401XC—Cream color—heavy
weight yarn.
No. 401XN — Oriental Gray —
heavy weight yarn.
No. 21XC—Cream color—light
weight yarn.
No. 21XN—Oriental Gray—light
weight yarn.




No. 51XC—Cream color.
No. 51XN—Oriental Gray.

We also stock a double lip head fringe in assorted colors. Send us sample pieces of your fringe and we shall endeavor to match it from our large varied styles.


Sample Booklet covering complete line mailed on request.

RUBBER MATS



SEMI PERFORATED

Black and Maroon 18 x 30 — 3/16"
 Approx. 1/4" thick 24 x 36 — 1/4"
 1/2 doz. to carton 30 x 40 — 1/4"



SHELL MAT (Black & Maroon)
 Sizes: 14x26, weight 60 lbs. to carton - 2 doz. to carton.
 18x30 - 90 lbs. per carton - 2 doz. to carton, assorted.


NON-SLIP SHOWER STALL MAT

No. 324

SIZES

24 x 24
 27 x 27

White Only
 3/32" thick



SIZES

30 x 30
 36 x 36

White Only
 3/32" thick


A useful mat for any home. Prevents slipping even when wet.



CORRUGATED & PERFORATED

1/4", 3/8", 1/2" thickness.

Available in a variety of colors and sizes



"KNAPPS PATTERN" RUBBER STAIR NOSING


Good item for use on stair treads which are covered with linoleum or heavy rubber matting. Snug fitting, prevents slipping and wears well.

No. 10—Black, 1 1/4" Wide No. 12—Black, 1 1/2" Wide
 No. 13—Maroon, 1 1/4" No. 14—Maroon, 1 1/2" Wide
 No. 10 and No. 13 for use with 1/8" material
 No. 12 and No. 14 for use with 1/4" material

RUBBER STAIR TREADS

COLORS

Solid Plain Black.
Solid Plain Brown.



COLORS

Marbelized Black.
Marbelized Maroon

Style	Size	Approx. Gauge	Packing to	Carton Weight
N.T.	7½x18	1/16"	½ gro.	50 lb.
N.T.	9x18	1/16"	½ "	60 "
N.T.	9x24	1/16"	½ "	70 "
N.T.	9x27	1/16"	½ "	90 "
No. 18	7x18	1/8"	3 doz.	45 "
No. 18	9x18	1/8"	3 "	54 "
No. 18	9x24	1/8"	3 "	66 "
No. 18	9x27	1/8"	3 "	81 "
No. 18	9x36	1/8"	2 "	72 "
No. 632	7x18	3/16"	2 "	41 "
No. 632	9x18	3/16"	2 "	50 "
No. 632	9x24	3/16"	2 "	63 "
No. 632	9x27	3/16"	2 "	75 "
No. 632	9x36	3/16"	1 "	50 "

CORRUGATED RUBBER MATTING

KNAPPS PATTERN

2¼" Wide


RUBBER MATTING ENDS



A High Quality Black Rubber End, heavy duck lined. Stocked in 3-4, 4-4, 6-4, 8-4, 12-4.

Packed for shipment in all lengths.

EUREKA RUBBER END THREAD
Specially waxed for attaching rubber ends to matting. Put up in reels.



MUSLIN BACK MATTING

Made in Gray - Black - Maroon.
Thickness - 1/8", 3/16" and 1/4",
Standard Widths, 36".

1/8" full roll, 50 linear yds.

1/2 roll, 25 linear yds.


3/16" full roll, 25 linear yds.

1/4" full roll, 25 linear yds.

WERNER PATTERN

2¼" Wide


RUBBING MATTING ENDS



An economical All Rubber End Fabric reinforced 2¼" wide. Stocked 9 foot lengths — solid black. Also cut to size.

EUREKA 4" SPECIAL NEEDLES
for sewing rubber ends. Sold singly and by the dozen.

No. 123. CLAW TOOLS



French pattern (note the heel), made of a fine quality steel, Drop Forged with Rosewood Handle. The tang runs through the entire length of handle and is riveted.

Length, 6"; Weight, 2½ oz.

No. 122. CLAW TOOLS




This tool is especially adapted for lifting tacks and small nails. It has excellent leverage and made strong enough to stand very rough usage. The Claw is Drop Forged Steel. The handle Rosewood. Length, 6½"; Weight, 3 oz.

We also make a less expensive tool same style but lighter weight and black handle, No. 122½.

Length, 6"; Weight, 2 oz.


No. 123½. CLAW TOOLS



Our Boss Claw Tool, Drop Forged Shank is ½" diameter, White Hickory Handle with two heavy iron ferrules. Made for special heavy work.


Length, 8"; Weight, 6½ oz.

CARPET AWLS



No. 310 Awl is Hand Forged Steel Blade and is 5/16" diameter at the ferrule tapering to the point. The tang runs through the length of the Maple handle and is riveted.

This Awl is used for Stair Carpet and Nosing. Length of Blade, 7½"; Length over all, 12";



No. 300. Heavy, Riveted. Weight, 6 oz.


PEG AWL HAFTS




No. 36—Furnished with Screw, Nut and Wrench including Stabbing Point 2½" long

SMALL HEAD CARPET TACKS


Packed in 100 lb.
bulk kegs, 25 lb.
bulk boxes, also lb.
papers.



New style counter-sunk heads. Sinks into carpet invisible. Note sharp points.



Flat head carpet pin No. 11
1 1/2"
Brassed



Round head carpet pin. Oxidized
No. 12 - 1 1/4"
No. 13 - 1 1/2"




Nosing nail
No. 10 - 1"
Brassed - Iron



Flat Head Screw.
Oval Head Screw
Brass - Iron
No. 6 - 3/4" & 1"
Also Nic. pl.



Drive Screw
Brass Pl.
No. 6 - 3/4"
No. 6 - 1"




WERNCO NODRIL CONCRETE NAIL

The ideal pin for contract work. Small head. No waste. Cuts costs. Saves labor. Makes better fastenings. Stocked in sizes from 1/2" to 1 1/4". (High count per lb.)



No. 36 Headless Brads Concrete

For linoleum and rubber. Specially heat treated.




WERNCO DRIVE SCREW NAILS

For wood, concrete and steel. Drive like nails, hold like screws twice the tensile strength of ordinary screw stocks.



Escutcheon Pins

No. 17 - 5/8"
No. 18 - 1"
Brass & Nic. pl.



"HALTITE-PHILLIPS"


Recessed Decorative Wood Head Screws
"A new decorative screw."
Send for samples and prices.



Linoleum Brads

No. 16 - 5/8"
No. 16 - 3/4"


RAWL DRILLS



Machined type (symbol m/t) for hand drilling. The original three point masonry drill accurately machined to size from solid bars of high grade tool steel. Made in sizes for all Rowl plugs and Rowl drills used in drill holder when drilling by hand. Can be re-sharpened on any grinding wheel. Made to exact diameters.

Size Drills	Diameter	Use tool holder No.
6	5/32"	14
8	11/64"	
10	3/16"	
12	1/4"	
14	9/32"	16
16	5/16"	
20	3/8"	

RAWL PLUGS



The Rowl plug should only be as large as diameter of screw.



RUBBER HANDLE

for Rowl tool holder.
Eliminates vibration.
Eases operation.

No. 23 SPECIAL SCREWS



Can be used in cement floors.
Seamless brass socket. 1 piece brass pin unit polished head.

WOOD PLUGS



1" long.
3/8" dia.

LEAD SCREW ANCHORS


This is a new design anchor which gives greater holding power, requiring a smaller installation hole for the corresponding size screw. It takes more sizes of screws grouped in a more convenient series, eliminating the necessity of stocking many sizes.



Order by Screw Size and Length of Anchor.

Screw size and length of anchor, 6—3/4"
Fractional screw size, 1/8"—3/16"
Outside diameter and drill required, 1/4"
Quantity in standard package, 100.


Brass Carpet Screw Down Plates



2 1/2" diameter. For securing large rugs or carpets in public places.

METAL STAIR RODS


Brass Satined rod No. 163- $\frac{3}{8}$ " dia. with No. 214 drop fastener. Cut to size for stair carpets any width.

FINISHED END STAIR ROD


No. 16 - $\frac{1}{4}$ " dia. rod made in brass plated and other finishes. Stock sizes only 26" and 30" long. Furnished with screw eyes to match.

Screw Eye Fasteners

No. 206—Stocked in brassed satined and bright finish. Other finishes to order.

IDEAL INVISIBLE STAIR CARPET FASTENER

The ideal type of Invisible Stair Carpet Fastener is the one best means for fastening Stair Carpets to stairs. It is completely out of sight, there is no perceptible protrusion at the angle to stumble over or trip on, the teeth hold the carpet firmly with an evenly distributed strain. It is not difficult to install. The edges of the teeth are dulled (rounded) so they will not cut either the warp or woof of the carpet.


**No. 28 FASTENER**

Reduced size illustration

Adjustable to any carpet thickness. Made of heavy steel, brass-plated and lacquered, in the following lengths:

- 26 in. lengths for $\frac{3}{4}$ carpets
- 35 in. lengths for $\frac{4}{4}$ carpets
- 53 in. lengths for $\frac{6}{4}$ carpets

Made also in 12 ft. lengths, which can be cut to stock sizes. Special lengths and special curves to order. All rods packed complete with screws and full instructions for installing.

**No. 30 FASTENER**

Reduced size illustration

Same as No. 28, except toothed members come joined with metal angles attached with machine screws.

- 26 in. lengths for $\frac{3}{4}$ carpets
- 35 in. lengths for $\frac{4}{4}$ carpets
- 53 in. lengths for $\frac{6}{4}$ carpets

26 in. length has 3 angles; 35 in. length has 4 angles; 53 in. length has 5 angles. Factory assembly makes No. 30 easier, quicker and cheaper to install than No. 28.


INVISIBLE CARPET FASTENERS



Hooked Style Plate
No. 53




PIN and SOCKET
MADE OF STEEL BRASS PLATED



Plain Style Plate
No. 52

The plate is sewed to the under side of carpet. The pin engages into the socket, the socket into the floor. For concrete floors drill and plug with wood plug. Packed 1 gross to the box, containing pins, sockets and plates.


CALIPH FASTENER



Only one pin
used in center.

Made counter-
sunk. Packed 1
gross to the box.

WERNER STAIR CORNERS



Brassed and Oxidized

2 1/4" width - small size.

2 3/4" width - large size.

Heavy gauge metal lacquered
Packed 1 gross to box with pins


SULTANA RUG FASTENER




Packed 1 gross to
the box.

Containing 12
packets, 1 doz. to
the packet. 4 pins
used to each fas-
tener.

WERNER TELESCOPE CARPET POLE STRETCHER




Made in 2 stock sizes. 12" blade with 56 teeth and 16" blade with 75 teeth. Approx. weight 45 lbs. Steel poles recessed into each other, when open extends to 21½ ft. long. Larger blades to contain more teeth made to order. Outstanding as a labor saver. Producing better workmanship. Easy to operate, adjustable to fit job. Ideal for wall to wall carpet. Also for carpets (relay jobs) where carpet has shrunk.



YOU DO THE TACKING
THE STRETCHER
DOES THE WORK.

THE HANDLE IN DOWN
POSITION IS LOCKED.

LIGHT IN WEIGHT
AND VERY DURABLE.
COLLAPSIBLE AND
EASY TO CARRY.



THIS IS MADE TO TAKE
A 2-4 OR LARGER, ANY
LENGTH. OR CARRY
BOLTS AND BOLT 2-4,
TOGETHER FOR
ADJUSTING LENGTH.

THE HANDLE IN DOWN
POSITION IS LOCKED.
THE RATCHET WILL
LOCK HANDLE IN
ANY POSITION.


USE YOUR REGULAR
KNEE-KICKER —
SLIP ON AS SHOWN
HERE.

THE KNEE-KICKER AND
THIS 10-INCH HEAD
ARE INTERCHANGEABLE

If handle won't go all the way down to locking position, remove stretcher teeth from carpet and move handle down. Then put teeth into carpet and press down handle until in locking position.

MADE-RITE CARPET KICKER



The modern approved knee kicker, adjustable block unit, teeth can be lowered and altered to take every thickness of carpet. Special hardened teeth (22), 17" overall. Weight 2¾ lbs. Designed by a carpet layer. Pat. applied for.



CARPET STRETCHERS**No. 288½ HAWKINS PATTERN STRETCHER**

This Stretcher is Hand Forged Steel, Highly Polished, and has 9 solid teeth.

Length, 8½", Weight, 1 lb., Width of Blade, 3½".

**No. 311. HAWKINS HANDLES (For Above Blade)**

Handle made of hickory, with brass ferrule, rosewood head, length of ferrule 8", length overall 26", weight 2 lbs. 5 oz. 3 pieces.

No. 301. CARPET STRETCHER BLADES


No. 301 Stretcher is made in 2 styles:

No. 301B—Steel Socket.

No. 301C—Blade Riveted on.


Lengths, 7"; Weight, 10 oz.

Width of blade, 3½", full polished.


**CARPET STRETCHER HANDLES**

No. 302A Maple, length 22", weight 12 oz. One piece.


No. 302B Hickory, length 26", weight 1 lb. 4 oz. One piece.



No. 302C Jointed hickory, length 24", weight 1 ¾ lbs. Brass ferrule. 6", 3 pieces.

CARPET STRETCHING CLAMP

This type clamp is used on both ends of carpet in conjunction with windlass.
Made of strong malleable iron. Weight 1 lb.

CARPET HANGING CLAMP


Hangs from ceiling. Used in set of six.

No. 61 CARPET TACK HAMMER

Steel forged, ova. rosewood handle, riveted.

No.	5	6	7
Size of face	5/8"	3/4"	7/8"
Weight in oz.	18	20	22
Length of head	7"	7"	7"


No. 5 most popular size.

**No. 289
CARPET VISE**


Kelly Pattern vise made with compound joint which gives jaws a powerful grip. The rod is steel forged and will stand up under severe usage.

No. 222. MAGNETIC HAMMER


Double face. Small face 5/8", large face 1 1/2"
Length of head 5 1/2". Weight of head 7 1/2 oz.
Polished head.

No. 288 CRAB STRETCHER

An ideal tool for the laying of carpet on wood floors. Steel teeth and claws, aluminum block.

TELEBLADE CARPET STRETCHER


TELEBLADE is the ideal tool for carpet installation. Users highly recommend the efficiency and speed with which a carpet laying job may be accomplished. It's easier to handle than other types of stretchers. Replaces "two by four" and other paraphernalia necessary in old fashioned methods. Greatly reduces kicking. Easily portable. Length of pole extended 20 ft.; collapsed 42 inches.

No. 287. ANDERSON ECLIPSE STRETCHER

For carpet and Oriental rugs. Width of jaw, 4", weight 5 lbs.

CARPET KICKER (Toons Patent)


No. 12



Length of kicker assembled 18", weight 3½ lbs. Made in two sections, aluminum holder. Hardened steel teeth set in maple block covered with durable leather, set screws regulate teeth penetration.

KNEE KICKER


No. 13




Contains 21 teeth. The teeth are shaped in a manner that will allow them to go through only the back of the rug. They will not tear the lining or nap. Popular priced.

HEINISCH CARPET SHEARS

Heavy Pattern




Japanned Handles		Polished Blades	
No.	Full Length	Length of Cut	Weight Each
5	13"	6 ³ / ₈ "	2 ¹ / ₄ lbs.
7	14"	7 "	2 ³ / ₄ lbs.
9	15"	7 ⁵ / ₈ "	3 ¹ / ₂ lbs.

HEINISCH UPHOLSTERERS' CARPET SHEARS


Japanned Handles		Polished Blades	
Straight Blade			
Fitted with Steel Screw and Nut			
No.	Full Length	Length of Cut	Weight Each
00	10½"	5 "	1 lb.
0	11¼"	5½"	1¼ lbs.

FETLOCK SHEARS

Crucible Steel Inlaid Blades




Trimmer Handles		Curved Blades	
Japanned Handles			
No.	Full Length	Length of Cut	Weight Each
07	9"	4 "	per Doz. 6 $\frac{5}{8}$ lbs.

CARPET NAP CURVED SHEARS


Straight Blade		Raised Handles	
Size 5 ¹ / ₂ " Full Length			
Size 6 ¹ / ₂ " Full Length			

HEINISCH CARPET SHEARS


Light Pattern




Japanned Handles		Polished Blades	
No.	Full Length	Length of Cut	Weight Each
3	12 "	6 ¹ / ₈ "	1 ¹ / ₂ lbs.
4	12 ³ / ₄ "	6 ¹ / ₂ "	1 ³ / ₄ lbs.
4 ¹ / ₂	13 "	6 ⁵ / ₈ "	1 ⁷ / ₈ lbs.

HEINISCH CARPET SHEARS

Japanned Handles		Polished Blades	
Raised Blade			
Fitted with Steel Screw and Nut			
No.	Full Length	Length of Cut	Weight Each
2½	12 "	6 "	1½ lbs.



No.	Full Length	Length of Cut	Weight Each
211	7"	3 ¹ / ₈ "	3 lbs.
	9"	4 ¹ / ₄ "	6 lbs.
	12"	6 ¹ / ₄ "	13 lbs.

CARPET NAP CURVED SHEARS

Curved Blades	Straight Handle
Sizes: 5", 5½", 6" Full Length	


TWEEZERS

Fine quality steel.
Made in England




No. 4

$\frac{3}{4}$ " Dia. Round End Length 5"



No. 1

$\frac{3}{8}$ " Dia. Round End Length 5"



No. 2

$\frac{1}{2}$ " Dia. Round End Special Length 5"




No. 3

$\frac{5}{8}$ " Dia. Round End Length $4\frac{1}{2}$ "

OPEN END THIMBLES

Lined Steel




Size at Large End

No. 1— $\frac{25}{32}$ "



No. 2— $\frac{3}{4}$ "

WOOL NAP BRUSH




An ideal steel carding brush
to brush up wool nap.

CARPET SEWING NEEDLES



CURVED ROUND POINT NEEDLES
3" - $3\frac{1}{2}$ " - 4"



English
Carpet Needles
Round point
25 to the packet

TAPESTRY NEEDLES


Large eyes for
threading wool yarn.
(Oriental)

MOHAWK CARPET DYE

The Handy dye match Outfit (illustrated) contains the most desirable assortment of
FAST RUG DYES AND CHEMICAL COMPOUNDS

**FAST NAP
COLORS**

- No. 1 Yellow
- No. 2 Orange
- No. 3 Cedar Rust
- No. 4 Rust
- No. 5 Havana Brown
- No. 6 Sable Brown
- No. 7 Dark Raisin
- No. 8 Light Raisin
- No. 9 Egg Plant
- No. 10 Purple
- No. 11 Burgundy
- No. 12 Maroon
- No. 13 Red
- No. 14 Scarlet
- No. 15 Rose
- No. 16 Admiralty Blue
- No. 17 Midnight Blue
- No. 18 Dark Green
- No. 19 Arcadia Green
- No. 20 Apple Green
- No. 21 Beaver Taupe
- No. 22 Taupe

**WARP
COLORS**

- No. 25 Black
- No. 26 Blue
- No. 27 Green
- No. 28 Maroon
- No. 29 Red
- No. 30 Brown
- No. 31 Rust
- No. 32 Raisin

No. A Dogstain
Neutralizer.

No. B Liquid to
wash brush.

No. OO Jet black
dye.

Send for instruction
pamphlet covering
all uses for Mohawk
dye outfit. Largest
assortment of fast
rug dyes.

Dyes: Rugs and Carpets: Patches: Yarns.

Removes: Ink and rust stains.


Retouches: Worn seams, Oriental rugs.

Dye washes: Rugs and Carpets. A new profitable pro-

Dye washes: Rugs and Carpets. A new profitable process.



Mohawk Dye - acts directly on the wool fibre and makes it permanently fast to wear exposure and washings. Lasts for years and can be verified and proved by tests. This modern scientific method enables inexperienced operators to restore soiled and faded rug or carpet to its original beauty or to change old color to new shade.

NON-SKID SIZING**WERTEX**

Is a liquid rubber preparation. It is applied to the back of rugs and carpets with a spray or hand brush. Allow to dry. Will prevent rugs skidding or creeping on any kind of floor. Also adapted for many other uses.


MOTHPROOFER**WERNOL**

Contains an active ingredient which prevents formation of fungus growth by making material treated with it unfit as a "culture." As a cleaner will remove grease spots from rugs. Good for furs, upholstery, clothing, mattresses and draperies, etc. Neutralizes musty odors.

RUGLUE EDGING

For Patching, Binding, Joining, Edging and Fringing

Put up in Tubes, Quart and Gallon Cans

CARPET WINDLASS

An ideal medium for stretching taut carpets made ready for seam sewing.

Weight 17½ lbs.

**CHEMO MOTHS DESTROYER
(A Liquid)**

Chemo is not only a preventative against moths, but better still, destroys both their eggs and worms. Latter do all the damage and are busy every day of the year. Also excellent for cleaning upholstered furniture and removing grease spots from rugs. It is absolutely stainless and can be sprayed on the most delicate upholstered furniture, rugs, clothing, in fact anything without injury.



Non-inflammable - No objectionable odor.

RUG ANCHORS

Will Positively Prevent Rugs Slipping.



HOLDFAST BLACK FACE (whipcord back)—54" wide put up in 30 yd. rolls. One side has a resilient coating of black rubber which is laid to the floor and takes a suction like grip upon it. The other side is a specially woven whip cord fabric which contacts the under side of the rug and holds it firmly by frictional contact.



SPECIAL BROWN HOLDFAST—54" wide put up in 30 yd. rolls. One side compounded with sponge rubber, other side plain fabric treated—effective, durable, low priced.



DOUBLE FACE HOLDFAST:—54" wide put up in 30 yd. rolls. Brown and Green color. The face and reverse side are alike, processed with a "Special rubber plastic compound." It is subjected to a heat treatment that prevents rapid oxidation or drying out. It is odorless, will not stretch, buckle or creep. **WE HIGHLY RECOMMEND IT.** Send for sample swatch.

SUTTON LINE**CARPET LININGS AND STAIR PADS**

MADE of vegetable fibre. Moths dislike the lack of possible nourishment in cotton padded linings for they contain no animal matter whatever. Covered with stout Kraft or paper stock, no dust or dirt is permitted to trickle into the cotton or resilient parts. This makes for constant resilient qualities as well as complete sanitation. Because of the covering, cotton filled carpet linings cannot become a breeding place for vermin as is possible in uncovered linings. Not affected by climatic conditions. They offer every utility and are more economical.

SUTTON'S CARPET LININGS

GRADE "F" Grey paper on both sides 36" wide—wt. per bale 115 lbs., 200 yds. per bale

GRADE "GAR" Extra quality Red paper, both sides, white filler, 200 yds. 36" wide, wt. 140 lbs.

"ST. GEORGE" Green felt underlaid. Heavy white filler, 36" wide wt. 225 lbs., 200 yds.

"No. 1 UNDERLAID FELT" Gray felt Underlaid, Heavy white filler wt. 250 lbs., 200 yds., 36" wide.

"SUT-FELT" Heavy felt on both sides, white filler, 36" wide, wt. 350 lbs., 200 yds.

"SUT-FELT" As above, 27" wide, wt. 22 lbs., 200 yds. per bale.

"CORRO-FELT" — Heavy fluted kraft and felt underlaid, white filler 400 lbs., 36" wide, 200 yds. per bale.

"SUT-KRAFT" Crinkled kraft felt underlaid, white filler, wt. 410 lbs. bale 200 yds. 36" wide

"BLACK DIAMOND" Black paper both sides, white filler 36" wide 200 yds. bale, wt. 175 lbs.

"BLACK DIAMOND" as above, $\frac{3}{4}$ width, 27" wide, 135 lbs., 200 yds. per bale.

SUTTON'S STAIR PADS

"ECONOMY" Grade white cotton filled. $\frac{5}{8}$ & $\frac{3}{4}$ widths


"MERCURY" Grade white cotton filled - 3 staple

"AD" Grade white cotton filled - 3 staple


"JUPITER" Grade green cloth covered - white filler 3 staple.

"E" Grade Extra heavy white cloth - white filler 3 staple.

"A" Grade - Extra heavy white cloth - white filler 3 staple.



JUTE WEBBING



For carpet and upholstery use. $3\frac{1}{2}$ " and 4" widths.


BEESWAX




Trade Mark

For waxing linen thread for carpet sewing. Put up in 4 oz. round cakes

WEIGHT BRAID




No. 20 CASTER CAPS



$3\frac{1}{4}$ " diameter w/2" square recess for furniture leg, mahogany or walnut color metal cup with soft deep pile mohair or carpet cushion as in No. 21. 3 dozen, Weight 4 pounds.

No. 21 CASTER CAPS



$2\frac{1}{2}$ " diameter, mahogany or walnut metal cup with soft deep pile carpet cushion to prevent scratching floors and preserves carpet. 3 doz. Wt. 4 lbs.

Weighted with sheet lead.
For rugs, carpets, etc. Full
size illustration No. 2.

No. 1 gray tape, 1" wide, 18 yds. to the piece.
No. 2 gray tape, $1\frac{1}{2}$ " wide, 18 yds. to the piece.
No. 3 gray tape, 2" wide, 18 yds. to the piece.

Approximate Weight Per Piece

No. 1 - $7\frac{1}{4}$ lbs. No. 2 - 11 lbs. No. 3 - $13\frac{1}{2}$ lbs.

BIGELOW SANFORD LOC WEAVE TAPE AND CEMENT

Patented



Tape put upon rolls containing 100 ft.

Cement - 1 gal. and 5 gal. cans.

To be used only with Bigelow Sanford Rubber Back Carpet

SEAMLOCK TAPE AND CEMENT

Tape put up on rolls containing 100 ft.

Cement - 1 gal. and 5 gal. cans.


To be used only with L. C. Chase Co. rubber back carpet.

SASH CORD No. 12




Braided heavy solid quality. For use on Electric Singer sewing machine.

CARPET ZIPPER TAPE



Directions furnished with tape. Made up on special order to fit carpet.

OFFICE CHAIR CASTERS



Swivels on two complete rows of ball bearings. Dust-proof construction. Bearings lubricated at factory and cannot work out. All bearings surfaces hardened. Copper oxidized finish. Ruberex cushion tread wheels for use on linoleum, tile, terrazzo, or other plain floors. Rockite hard tread wheels for use on carpeted floors.

Style No.	Diameter of Wheel	Kind of Wheel	Weight Per Set
2478	1 5/8"	Ruberex	1 1/4 Lbs.
2778	1 5/8"	Ruberex	1 1/4 Lbs.
2479	2"	Rockite	1 3/4 Lbs.
2779	2"	Rockite	1 3/4 Lbs.

CARPET ROLL CLAMP



No. 327

To prevent the ends of carpet from unrolling.

MEASURING TAPES


CHESTERMAN

TAPES

Sheffield, England

 $\frac{5}{8}$ " wide

Folding Handle

Linen Metallic Woven Tape,
in "Leather Case" No. 34LLinen Metallic Woven Tape,
in "Bakelite Case" No. 35BLinen Metallic Tapes also furnished sep-
arately in 25, 50, 75 and 100 ft. lengths.


TAPE LINES ONLY - WITHOUT CASES

 $\frac{5}{8}$ " Metallic Tapes

No.	0500	0503	0505	0506
Length, Feet	25	50	75	100

 $\frac{7}{16}$ " Junior Metallic Tapes

No.	0660	0663
Length, Feet	25	50



METALLIC TAPES

$\frac{5}{8}$ inch wide linen line with metallic
warp. Leather reinforcement first end.
Case of genuine leather. Folding handle.
Mountings nickel plated.

Marked Feet, Inches and Half Inches
One side only.

No.	500	503	505	506
Length, Feet	25	50	75	100


"JUNIOR METALLIC" TAPE

$\frac{7}{16}$ inch wide linen line with metallic
warp. Leather reinforcement first end.
Case of genuine leather. Folding flush.
Handle opened by push pin. Mountings
nickel plated.

Marked Feet, Inches and 8th. One side
only.

No.	660	663
Length, Feet	25	50

LUFKIN MEZURALL TAPE-RULES



This tape-rule is for all meas-
urements; inside and outside;
height & depth gauge; flex-
ible and rigid measurements.
Compact and light weight.

Adjustable end hook. Allows accurate measurements,
either hook or butt end, a feature not possible with a
tape rule having a solid, or fixed hook. The case is nickel
plated; 2 inches wide, fully enclosing blade.

Blade marked in inches to 16th; first 6 inches upper edge
to 32nds. Weight, 3 ounces. Length blade, 72 inches.

No. 926 - Blade marked 1 side, both edges.



LINOLEUM AND CARPET KNIVES

WERNER BRAND



Nationally used by expert linoleum layers.

No. 10 Short blade with riveted rosewood handle; length of blade 2½".

No. 10½ Medium blade, same as above length of blade 3".


No. 11 Long blade, same as above, length of blade 3½".

STANLEY KNIFE



No. 199 A special pointed heavy razor blade cutter is used in this tool. The knife is packed with six blades in the encasing in the handle. Ideal for cutting, lino. rubber, rubber back and regular carpet. Also good for cutting designs. 6" long, weight 6 oz.

RUBBER BACK CARPET KNIFE



No. 15 Developed to use with rubber back carpet. Blades held in magazine of handle.

CARBORUNDUM STONE



An ideal abrasive to sharpen linoleum knives.


DEXTER BRAND



No. 12 Short blade with riveted rosewood handle, 2½" blade.

No. 12½ Medium blade, same as above 3" blade.


No. 13 Long blade, same as above, 3½" blade.



No. 21 Round handle, 3" blade.

Small handy popular knife. Moderate priced


DEXTER SCREW-IN TYPE



DEXTER NO. 10-D HANDLE



DEXTER NO. 752-D
REPLACEABLE BLADE



DEXTER NO. 750-D
REPLACEABLE BLADE

No. 752½D—2½" interchangeable blade

No. 752 D—3 " interchangeable blade

No. 750 D—3½" interchangeable blade

No. 10 D—Handle only

LINOLEUM ACCESSORIES

WERNER LINOLEUM ROLLERS



Standard specification rollers. Diameter 7½". Width 14⅛". 150 lb. size and 75 lb. size. Edges rounded and machined.

Werner Linoleum Paste




5 gal. drums—also 1, 2, 3 gal. cans

WERNER LINOLEUM FELT




1 lb., 1½", 50 yd. rolls
½ lb. 75 yd. rolls

LINOLEUM STRAIGHT EDGE




No. 20 Solid spring tool steel block, ⅛" thick, 6 ft. 6 in. long, 3" wide

Saw Steel Tooth Cement Spreader



No. 26 Lightweight flexible saw steel, cut out to get under radiators and recesses, wood handle.

LINOLEUM CEMENT SPREADER




No. 25 Made of Gal. stock, medium weight, strong and long lasting, furnished with rubber blade.

Rubber Blade

No. 25A Flexible rubber stock, easy to clean, double corrugated edge. Sold separately.


POLYPHASE SCRIBER

FOR TABLE TOPS




With or without edging. Paste top, cover with linoleum protruding over edge not less than one quarter inch. Set needle to coincide with guide as shown. This also applies to cutting on steps and doorways and metal divider strips on wall work.

FOR SEAM CUTTING



FOR SEAM CUTTING


If using salvage edge take off roughness with rasp or sandpaper block. Set needle to coincide with inside of guide so that needle will coincide with underlapping edge. Score lightly. (Do not crowd tool or force needle too deep as this will cause imperfect fit.) Especially valuable in scoring for cutting seams in linoleum with felt backing. Cut with slight bevel.



SCORING FOR CIRCLES


Place needle in hole in housing to act as pivot. Adjust bar to desired radius. For larger circles use 18" bar. You will find many other uses for the Polyphase Scriber, such as splitting factory cut feature strips. For scoring various width strips. For fitting to edgings and recessed floors in door ways. Nosings on steps. For setting in feature strips between boarded and field.

FOR INLAYING FEATURE STRIPS IN SOLID FIELD




Place one needle in housing, adjust bar needle to project through slot in guide. Space needles to desired width of feature strip. Score and cut with slight under bevel which makes a perfect fit.

OUTSIDE CORNERS ON COVE BASE



To score first piece, adjust needle back from end of guide to thickness of linoleum. Score from top of cover strip to top of linoleum, then cut with knife following score at a 45 deg. bevel. To score second piece set needle with end of guide. Score and cut again at a 45 degree bevel. Rub chalk in score line to make more visible.

STRAIGHT EDGE No. 10


This is an all steel straight edge, manufactured especially for Linoleum Mechanics. Will stay straight indefinitely. The cross bar is permanently attached with thumb screw and can be set at any angle. There are no parts to lose. This straight edge is just heavy enough to hug the floor nicely. The one end is cut so as to work in corners for mitering. Four feet long. This size straight edge has been approved by hundreds of master mechanics. There is one brad hole at mitering end for anchorage.

WALL SEAM ROLLER


For rolling around windows, doors, metal edgings and feature strips. Otherwise a handy tool.

PLASTER CRACK CUTTER

Use cutter to make cracks deeper otherwise Crack Filler will not hold. Can also be used to score linoleum for inside corners


**SELF CHALKING CHALK LINE**

Eliminates tangling. No looking for chalk—always ready. Easily filled with various colored chalk. 50 feet of line. No workman should be without this effective line.


CARPET PRESSER**QUARTER ROUND LIFTER**

Something a linoleum mechanic has needed for years, a quarter round lifter which lifts quickly and easily and eliminates breaking as it pulls quarter round at the same angle the nails are driven in. Very good for scraper, etc.


	Height	Base	Top
A—15 lbs.	5 "	4 "x4 "	3 "x3 "
B—25 lbs.	5 5/8 "	4 5/8 "x4 5/8 "	3 1/2 "x3 1/2 "
C—50 lbs.	7 1/2 "	6 1/2 "x6 1/2 "	4 "x4 "

TWO WAY SCRIBER No. 66


Something different and very practical and should be in every mechanics too box. For scribing left or right along walls, doorways, recesses and pilasters. In scribing from wall or doors loosen Earl nut and pull slide along guide rod making score from object. Can be used for making circles. The layer himself will find many uses for this tool. Easy to adjust and indestructible. 18 inches long. Light in weight.

CATHCARD LINOLEUM SCRIBER

Adjustable to all uses, handy pocket size, rust-proof, accurate for seam cutting and fitting linoleum to stair nosing, floor and wall work, borders, recesses, circles, etc. Approved by leading linoleum layers throughout U. S. Patented.

**EXTENSION DIVIDER**

This divider has an adjustable leg with a removable needle which insures a deep clean score. This divider is made of fine steel, a sturdy lock and also a spring for fine adjustments. This adjustable leg with needle will give a cleaner and more accurate score than an ice pick in inlaying designs of any type.




LINO WALL ROLLER

No. 31—Jointed Handle Brass Ferrule—3 pieces extra heavy rubber roller. Made collapsible to fit tool bag. A sturdy strong tool specially designed for wall work.


No. 7 SNIPS

A useful tool to cut out flanges of aluminum metal moulding enabling mechanics to turn and bend trim with ease.


STANLEY METAL MITRE BOX**No. 2358 MC.**

Here is a sturdy, practical, easy to use Mitre Box for cutting metal trim, metal mouldings, and similar work within its capacity.

Guaranteed to cut every angle in every radius. The only mitre box that eliminates guesswork in cutting metals accurately.

MITRE BOX No. 16


A solid steel box with sturdy clamps to hold metal in place. Can also be used for mitering wood cove strip. Ten inches long. Will last for years and eliminates guessing and waste of material and time. No doubt will pay for itself on your first metal job. Two wooden shims included.

No. 1027 HACKSAW


For cutting metal moulding.

Extends 8" to 12"

Saw Blades: 6, 7, 8, 9, 10, 11, 12 in.


FLOOR TROWEL

This trowel is especially constructed and designed for floor work. This trowel is notched so as to give the proper spread of paste and slightly beveled on the front side so as not to mar base boards and makes it possible to get around pipes in an easy manner.

REFRIGERATOR DOLLY CASTERS**CAST IRON**


Scientifically designed to support maximum weight, yet swivel and roll with the utmost of ease under electric refrigerators, stoves and other heavy products handled in the display room, store or warehouse. Weight 5 lbs.

Style 2BW459 with Ruberex (cushion tread) Wheels,
Style 2BW759 with Rockite (hard tread) Wheels,

STOVE DOLLY CASTERS**PRESSED STEEL**

A sturdy all-steel stove dolly for economical handling of bulky, heavy boxes, desks, furniture cabinets, stoves and many other items. Made of heavy gauge steel, equipped with ball bearing casters and steel wheels, this inexpensive labor-saver is practically indestructible. Weight 1 lb.

Style AS755 Rockite Wheel, rust-resisting finish,
Price Per Set of 4



Number	Diameter	Weight Per Set
NRS	7/8"	1 1/2 Oz.
NRS	1 1/16"	2 3/4 Oz.
NRS	1 1/4"	3 3/4 Oz.
NRS	1 1/2"	4 1/2 Oz.

**FAULTLESS FLEXIBLE
CUSHION CHAIR GLIDES**

Faultless Flexible Cushion Chair Glides are made of hardened steel with rubber insulation. The live rubber acts as a cushion and shock absorber and protects you against jars and vibration, while the smooth rounded edges of the glide protects your floor from being marred.

FAULTLESS ROCKITE FURNITURE CUPS
For Use Under Desks, Stoves, Tables, etc.**RDC Round Cup**

Style No.	
RDC-1 3/8"	(Size of open. 1 3/8")
RDC-1 5/8"	(Size of open. 1 5/8")




Faultless Rockite Furniture Cups were designed to fill a need for an unbreakable furniture cup with an attractive appearance. Made of Rockite in a pleasing shade of brown to harmonize with all furniture, and will not mark the floors nor cause them to discolor. When ordering, be sure to specify size or diameter of opening desired.

**SDC Square Cup**

Style No.	
SDC-1 1/2"	(Size of open. 1 1/2")
SDC-1 3/4"	(Size of open. 1 3/4")
SDC-2"	(Size of open. 2")


LINOLEUM TRUCKS

BRADLEY "HANDY" LINO TRUCK



ONE MAN TRUCK


The Bradley line of linoleum trucks are nationally used by all progressive linoleum dealers and contractors. For further details and descriptive matter send for literature.



IMPROVED ONE MAN TRUCK


Bradley trucks save time and labor, handles 8/4 and two meter linoleum with ease. Loading and unloading as well as rolling from truck is greatly simplified.

UTILITY TRUCK



No. 1075 — Rubber wheels, adjustable cup and cone, ball bearing. Width 20" Height 45". Net Weight 65 lbs.


CARPET SEAM HOLDER



This Seam Holder is made for top sewing of carpets on concrete or wood floors. It is fine for door sills; saves kicking up and stay-tacking the carpet.


DU-AL TWIN CUTTER!**Radically New Design With Features**

The Du-al Twin Cutter offers linoleum layers accuracy, precision and value never before obtainable in the old linoleum knife! Precision-made throughout, with tempered tool steel, keen edged knife blades. Sturdily built and light; easily carried in your pocket or tool kit. Many other features that you have to try to fully appreciate!

**Makes Ribbons or Strips**

No guesswork, simply adjust tool according to instructions and make ribbons from $\frac{1}{4}$ inch to $2\frac{3}{4}$ inches wide. You will marvel at the ease, accuracy and speed of the Du-al Twin Cutter.

Here you see the Du-al Twin Cutter making a circular design. Circles as large as 44 inches in diameter easily and cleanly cut. The amazing accuracy and smooth-cutting features of this tool will fascinate you.



Professional and apprentice linoleum layers have long wanted a truly better cutting tool at a moderate price. Here is the answer—the Du-al Twin Cutter, with features and advantages that no linoleum knife has ever offered!

Cuts Circular Designs

Circles, half moons, semi-circles and circular designs of any kind—quickly and accurately cut with no trouble!

**Cuts Rubber, Felt & Other Soft Goods**

Also may be used for lock-weave and seamlock carpeting. Unexcelled for cutting seams on rubber floor covering and linoleum wall coverings.

The photograph above shows a difficult inset actually being installed. The ribbon work and corner design also were done with this remarkable new tool.

**ALUMINUM — BRASS
STAINLESS STEEL and
Chromium Mouldings**




**Nosings — Edgings —
Coves — Channels —
Wall Trim — Wide variety
of shapes**

GLEAMING RICHNESS . . .

Wernco Metal Mouldings enhance the beauty of your installation and add a modern note of gleaming richness in preparing inexpensive but effective ornamentation.

Illustrated are just a few sections of Aluminum Metal rim for tables, counters, drainboards, etc., most of which are now stocked in plain Alumilite finish affording a distinctive trim for every need. Our wide variety of styles also include Modern Wall Trim in Stainless Steel.

Our Technical Division is ready at all times to cooperate with you on any problems or methods of installations that will result in labor saving and economical application of our products.



WRITE FOR ILLUSTRATED FOLDER AND SAMPLES

WERNCO DEMONSTRATION SAMPLE BOARD

By displaying this sample board of nosings, edgings, coves, angles, etc., in the proper manner, you lower your sales resistance.

It acts as your salesman enabling your customers to see at a glance that you carry their moulding needs and also gives them an opportunity to sense new ideas which will result in more effective installations.

The cost is small compared to the tremendous advantages that will accrue to you and your customers in the stimulation of sales and the solving of problems that arise . . . Send in your request with your next moulding order.

Size—24"x30"

Contains—103 mouldings

